

Version	Revision Date:	Print Date	Date of last issue: 17.12.2020
3.1	22.02.2021	23.02.2021	Date of first issue: 30.10.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	: Caparol Amphibolin		
1.2 Relevant identified uses of the	he substance or mixture and uses advised against		
Use of the Sub- stance/Mixture	: Water-borne coatings		
Recommended restrictions on use	: within adequate application - none		
1.3 Details of the supplier of the	safety data sheet		
Company	: Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt		
Telephone	: +496154710		
Telefax E-mail address Responsi- ble/issuing person	: +4961547170222 : msds@dr-rmi.com		
1.4 Emergency telephone numb	er		
Emergency telephone num- ber 1	: +49613284463 GBK GmbH		
SECTION 2: Hazards identification			
2.1 Classification of the substan	ice or mixture		
Classification (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.			
2.2 Label elements			
Labelling (REGULATION (EC) No 1272/2008)			

Not a hazardous substance or mixture.

Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand.
		P102 Keep out of reach of children.

#### Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not



Version	Revision Date:	Print Date	Date of last issue: 17.12.2020
3.1	22.02.2021	23.02.2021	Date of first issue: 30.10.2019

breathe spray or mist.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

.

Chemical nature

: Emulsion paint, emission-free and solvent-free

Components
------------

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No.	Classification	(% w/w)
	Index-No.		(70 \\/\\)
titopium diovide	Registration number	Cara 0: 11251	. 10 . 20
titanium dioxide	13463-67-7	Carc. 2; H351	>= 10 - < 20
	236-675-5		
	022-006-00-2		
	01-2119489379-17		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
	220-120-9	Skin Irrit. 2; H315	0,05
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	
		Acute Tox. 2; H330	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
reaction mass of 5-chloro-2-	55965-84-9	Acute Tox. 3; H301	>= 0,0002 - <
methyl-2H-isothiazol-3-one and 2-		Acute Tox. 2; H330	0,0015
methyl-2H-isothiazol-3-one (3:1)	613-167-00-5	Acute Tox. 2; H310	
· · · · · ·	01-2120764691-48	Skin Corr. 1C; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	



Version 3.1		Print Date 23.02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019	
			Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
Subst	ances with a workplace e	exposure limit :		
Talc (I	Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-2120140278	>= 10 - < 20 3-58	
Kiesel	lguhr, soda ash flux-calci	ned 68855-54-9 272-489-0 21-2119488518	>= 1 - < 10 3-22	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

#### **4.2 Most important symptoms and effects, both acute and delayed** None known.

**4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.



VersionRevision Date:Print DateDate of last issue: 17.12.20203.122.02.202123.02.2021Date of first issue: 30.10.2019	
---	--

## **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire- fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
	Further information	:	Standard procedure for chemical fires. The product itself does not burn.

#### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.	
6.2 Environmental precautions			
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.	
6.3 Methods and material for containment and cleaning up			

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).



Version	Revision Date:	Print Date	Date of last issue: 17.12.2020
3.1	22.02.2021	23.02.2021	Date of first issue: 30.10.2019

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling		For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.
Conditions for safe storage	, incl	uding any incompatibilities
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care fully resealed and kept upright to prevent leakage.

Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.

## Storage class (TRGS 510) : 12, Non Combustible Liquids

#### 7.3 Specific end use(s)

7.2

Specific use(s) : This information is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(II)					
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit: excursion factor (category): 2;(II)						
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900			



Version 3.1	Revision Da 22.02.2021	te: Print Date 23.02.2021		Date of last issue: 17.12.2020 Date of first issue: 30.10.2019				
		Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.AGW (Alveolate1,25 mg/m3						
		Deels lissify an	fraction) cursion factor (categ		900			
		Further inform work place da dangerous su occupational e	nation: Senate comn ingerous for the hea bstances, General c exposure limit value ion regarding unspe	hission for the review of comp lth (MAK-commission)., Com lust value. For this substance is established, since the AGS cific action on the respiratory	mission for no specific S does not yet			
	lguhr, soda ux-calcined	68855-54-9	AGW (Alveolate fraction)	0,3 mg/m3	DE TRGS 900			
		tolerance value earth can, dep to a higher co cristobalite. In part (limit value cristobalite and be established	tes, there is no risk of bending on its origin ntent of cristobalite, a examining the expo te for diatomeous ea ad quartz content (ca	s compliance with the OEL ar of harming the unborn child, I , contain quartz. The calcining activated silica can contain u osure to (calcined) silica both arth resp. calcined silica) and ircinogenic according to TRG on for the review of compour AK-commission).	Diatomeous g of silica leads p to 60 vol.% the amorphous the total of the S 906) should			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,	• •	. ,	
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry
		weight (d.w.)
	Marine water	0,0184 mg/l



/ersion 3.1	Revision Date: 22.02.2021		int Date .02.2021	Date of last issue: 17 Date of first issue: 30	
			Fresh water	sediment	1000 mg/kg dry weight (d.w.)
			Marine sedim	nent	100 mg/kg dry weight (d.w.)
			Intermittent u	ise/release	0,193 mg/l
Kiese calcir	elguhr, soda ash flux- ned		Sewage treat	tment plant	100 mg/l
.2 Expos	sure controls				
Perso	onal protective equip	ment			
Eye p	protection	:	German trade	association rules - BGR 1	192 Eye protection
			Goggles		
Ma Gl	protection aterial ove thickness otective index		Nitrile rubber 0,2 mm Class 3		
Re	emarks	:	Wear suitable	ng gloves clean them with gloves tested to EN374. association leaflet: Carry	-
Skin a	and body protection	:	Safety shoes Long sleeved o	clothing	
				protection according to the ne dangerous substance a	
			Skin should be	washed after contact.	
Resp	iratory protection	:	No personal re quired.	espiratory protective equip	oment normally re-
			German trade tion	association rules - BGR 1	190 Breathing protec-
				pplication: Do not breathe ation filter for paint sprayi	

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available



Ver 3.1	sion	Revision Date: 22.02.2021		nt Date 02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019
	Odour		:	No data available	5
		<b>T</b> I	•		5
	Odour	Threshold	:	Not relevant	
	рН		:	8 - 9 Concentration: 1	00 %
	Melting	point/freezing point	:	not determined	
	Boiling	point/boiling range	:	not determined	
	Flash p	point	:	Not applicable	
	Evapor	ration rate	:	Not applicable	
		explosion limit / Upper ability limit	:	not determined	
		explosion limit / Lower ability limit	:	not determined	
	Vapour	r pressure	:	not determined	
	Relativ	e vapour density	:	not determined	
	Relativ	e density	:	not determined	
	Density	ý	:	1,3800 g/cm3	
	Solubili Wat	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Auto-ig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	Viscosi Visc	ity cosity, dynamic	:	No data available	9
	Explos	ive properties	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
9.2		nformation ability (liquids)	:	The product is no	ot flammable.
		-			



Caparol Amphibolin						
Version 3.1	Revision Date: 22.02.2021		nt Date 02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019		
SECTION	10: Stability and rea	activ	vity			
10.1 Reactiv	-					
	omposition if stored an	id ap	plied as directed.			
10.2 Chemi	•					
No dec	omposition if stored an	id ap	plied as directed.			
10.3 Possib	ility of hazardous rea	actio	ns			
Hazard	ous reactions	÷	No decompositio	n if stored and applied as directed.		
10.4 Condit	ions to avoid					
Conditio	ons to avoid	:	Protect from fros	t, heat and sunlight.		
10.5 Incom	patible materials					
Materia	ls to avoid	:		n acids and bases. n oxidizing agents.		
10.6 Hazardous decomposition products						

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

Product:

Acute oral toxicity	marks: Based on available data, the classification criteria not met.
Acute inhalation toxicity	marks: Based on available data, the classification criteria not met.
Acute dermal toxicity	marks: Based on available data, the classification criteria not met.

#### Components:

1,2-benzisothiazol-3(2H)-on	e:	
Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h



Caparo	Caparol Amphibolin				
VersionRevision Date:3.122.02.2021		Print Date 23.02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019		
		Test atmos	ohere: dust/mist		
Acute	dermal toxicity	: LD50 (Rat):	> 2.000 mg/kg		
reacti (3:1):	on mass of 5-chloro	-2-methyl-2H-isot	hiazol-3-one and 2-methyl-2H-isothiazol-3-one		
Acute	oral toxicity	: LD50 (Rat): Method: OE	66 mg/kg CD Test Guideline 401		
Acute	inhalation toxicity				
Acute	dermal toxicity	: LD50 (Rat): Method: OE	> 141 mg/kg CD Test Guideline 402		
Skin	corrosion/irritation				
Produ	uct:				
Rema			o the classification criteria of the European Union, is not considered as being a skin irritant.		
Serio	us eye damage/eye i	rritation			
Produ	<u>uct:</u>				
Rema	ırks		o the classification criteria of the European Union, is not considered as being an eye irritant.		
Respi	iratory or skin sensit	isation			
Produ	<u>uct:</u>				
Rema	ırks	: Repeated c ceptible per	ontact may cause allergic reactions in very sus- sons.		
SECTION	I 12: Ecological inf	ormation			

# 12.1 Toxicity

#### Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available



Version 3.1	Revision Date: 22.02.2021		int Date .02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019
Com	ponents:			
1,2-b	enzisothiazol-3(2H)-on	e:		
-	ity to fish	:	Exposure tin	rhynchus mykiss (rainbow trout)): 2,2 mg/l ne: 96 h CD Test Guideline 203
	ity to daphnia and other tic invertebrates	:	Exposure tin	nia (water flea)): 3,27 mg/l ne: 48 h CD Test Guideline 202
Toxic plants	ity to algae/aquatic s	:	Exposure tin	nastrum capricornutum (green algae)): 0,11 mg/l ne: 72 h CD Test Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		-me	ethyl-2H-isoth	niazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
	<b>istence and degradabil</b> ata available	ity		
12.3 Bioa	ccumulative potential			
Com	ponents:			
react (3:1):		-me	thyl-2H-isoth	niazol-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	:	log Pow: <= Method: OE	0,71 CD Test Guideline 117
12.4 Mobi	lity in soil			
No da	ata available			
12.5 Resu	llts of PBT and vPvB as	sse	ssment	
Prod Asses	<b>uct:</b> ssment	:		nce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or



Version 3.1	Revision Date: 22.02.2021	Print Date 23.02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019	

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Other adverse effects

- I O d d O H		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### **SECTION 13: Disposal considerations**

	13.1	Waste	treatment	methods
--	------	-------	-----------	---------

Product	:	·
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

:

Not applicable for product as supplied.



Version	Revision Date:	Print Date	Date of last issue: 17.12.2020	
3.1	22.02.2021	23.02.2021	Date of first issue: 30.10.2019	

#### **SECTION 15: Regulatory information**

15.′ ture		en	al regulations/legislation	specific for the substance or mix-
	REACH - Restrictions on the m the market and use of certain of preparations and articles (Anno	dar	gerous substances,	Not applicable
	REACH - Candidate List of Sul Concern for Authorisation (Arti			This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	REACH - List of substances su (Annex XIV)	ubj€	ect to authorisation :	None
	Seveso III: Directive 2012/18/E major-accident hazards involvi			t and of the Council on the control of
	Water contaminating class (Germany)	:	2 significantly water Classification according to	
	Product code for laquers and paints / Giscode	:	M-DF01 Water-based pain	nts, solvent-free
		:	BSW20 Coating materials,	, water-based
	Volatile organic compounds	:	Directive 2004/42/EC < 1 % < 10 g/l	

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.



	Version 3.1	Revision Date: 22.02.2021	Print Date 23.02.2021	Date of last issue: 17.12.2020 Date of first issue: 30.10.2019
--	----------------	---------------------------	-----------------------	---

#### **SECTION 16: Other information**

#### Full text of H-Statements

H301	:	Toxic if swallowed.		
H302	:	Harmful if swallowed.		
H310	:	Fatal in contact with skin.		
H314	:	Causes severe skin burns and eye damage.		
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H330	:	Fatal if inhaled.		
H351	:	Suspected of causing cancer if inhaled.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
H411	:	Toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Carc.	:	Carcinogenicity		
Eye Dam.	:	Serious eye damage		
Skin Corr.	:	Skin corrosion		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.		

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with %<sup>k</sup> response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Coid For the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Covention of Pollution to 50% of a test population; LDS0 - Lethal Dose to 50% of a test population; KECI - Korea Existing Chemicals Inventory; IC50 - Lethal Concentration to 50 % of a test population; DDS - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Coverve) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals; OACPTS - Subtances; (Q)SAR - (Quantitative)

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.



Version	Revision Date:	Print Date	Date of last issue: 17.12.2020
3.1	22.02.2021	23.02.2021	Date of first issue: 30.10.2019

#### Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN