

Capadur DecorLasur WeißVersion
3.0Revision Date:
02.12.2022SDS Number:
6000362Date of last issue: 10.07.2020
Date of first issue: 10.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product | identifier |
|-----|---------|------------|
| | | |

Trade name

: Capadur DecorLasur Weiß

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Use of the Sub- stance/Mixture | : | Water-borne coatings |
|-----------------------------------|---|----------------------|
| | | |

Recommended restrictions : within adequate application - none

on use

1.3 Details of the supplier of the safety data sheet

| Company | : | Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt |
|--|---|---|
| Telephone Telefax | : | +496154710 +4961547170222 |
| E-mail address Responsi- ble/issuing person | : | msds@dr-rmi.com |

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

| Precautionary Statements | | P101 If medical advice is needed, have product container or |
|--------------------------|--------|---|
| | · labe | label at hand. |
| | | P102 Keep out of reach of children. |

Additional Labeling



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | SDS Number: 6000362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 | |
|----------------|---------------------------|------------------------|---|---|
| | | | | _ |

| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an aller- gic reaction. |
|--------|--|
| EUH211 | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Emulsion paint, aqueous

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|--|--------------------------|
| titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm] | 13463-67-7 236-675-5 022-006-00-2 01-2119489379-17 | Carc. 2; H351 | >= 1 - < 10 |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 220-120-9 613-088-00-6 01-2120761540-60 | Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute | >= 0,025 - < 0,05 |



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | | S Number: 0362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 |
|----------------|--|--------|---|--|
| | | | | aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 |
| | | | | specific concentration limit Skin Sens. 1; H317 >= 0,05 % |
| methy | on mass of 5-chloro-2- 1-2H-isothiazol-3-one a 1-2H-isothiazol-3-one (| and 2- | 55965-84-9 613-167-00-5 01-2120764691 | Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 >= 0,0002 - < 0,0015 M-Factor IC; H314 EUH071 >= 0,0002 - M-Factor IC; H314 EUH071 >= 0,0002 - M-Factor IC; H314 EUH071 >= 0,0015 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 >= specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 % |

For explanation of abbreviations see section 16.



Capadur DecorLasur Weiß

| Version | Revision Date: | SDS Number: | Date of last issue: 10.07.2020 |
|---------|----------------|-------------|---------------------------------|
| 3.0 | 02.12.2022 | 6000362 | Date of first issue: 10.12.2019 |

SECTION 4: First aid measures

| 4.1 Description of first-aid measures | | | | |
|---------------------------------------|---|---|--|--|
| General advice | : | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. | | |
| If inhaled | : | Move to fresh air. | | |
| In case of skin contact | : | Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. | | |
| In case of eye contact | : | If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | |
| If swallowed | : | Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting. | | |

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | | |
|--|-----|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. |
| Unsuitable extinguishing media | : | None known. |
| 5.2 Special hazards arising from | the | e substance or mixture |
| Specific hazards during fire fighting | : | In case of fire hazardous decomposition products may be produced such as: |



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | | DS Number: 000362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 |
|-----------------------------|--|---|----------------------------------|---|
| | | | Carbon monoxide bons (smoke). | e, carbon dioxide and unburned hydrocar- |
| 5.3 Advice for firefighters | | | | |
| | cial protective equipment re-fighters | : | Wear self-contain essary. | ed breathing apparatus for firefighting if nec- |
| Furtl | Further information : Standard procedure for chen The product itself does not b | | | |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : | Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. |
|-------------------------------|---|--|
| 6.2 Environmental precautions | | |
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system. |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | | Keep in suitable, closed containers for disposal. |
|-------------------------|--|---|
| | | Soak up with inert absorbent material (e.g. sand, silica gel, |
| | | acid binder, universal binder, sawdust). |

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

| 7.1 Precautions for safe handling | |
|-----------------------------------|--|
| Advice on safe handling : | For personal protection see section 8. No special technical protective measures required. |
| | In addition, the current technical information for this product and its application on www.caparol.com must be observed. |
| Hygiene measures : | Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating |



Capadur DecorLasur Weiß

| Version | SDS Number: | Date of last issue: 10.07.2020 | | |
|---------|-----------------|---------------------------------|--|--|
| 3.0 | 6000362 | Date of first issue: 10.12.2019 | | |
| | areas. | | | |

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storage areas and containers | : | Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage. |
|---|---|---|
| Advice on common storage | : | Keep away from oxidizing agents and strongly acid or alkaline materials. |
| Storage class (TRGS 510) | : | 12 |
| 7.3 Specific end use(s) Specific use(s) | : | This information is not available. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | | |
|---|---|---|--------------------------------|----------------|--|--|
| titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm] | 13463-67-7 | AGW (Inhalable fraction) | 10 mg/m3 (Titanium dioxide) | DE TRGS 900 | | |
| | Peak-limit category: 2;(II) | | | | | |
| | | urther information: When there is compliance with the OEL and biological olerance values, there is no risk of harming the unborn child | | | | |
| | | AGW (Alveolate 1,25 mg/m3 DE TRGS | | | | |
| | | fraction) | (Titanium dioxide) | 900 | | |
| | Peak-limit category: 2;(II) | | | | | |
| | Further information: When there is compliance with the OEL and biological | | | | | |
| | tolerance values, there is no risk of harming the unborn child | | | | | |
| | | BM (Alveolar dust fraction) | 0,5 mg/m3 | DE TRGS 527 | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Routes of expo- sure | Potential health ef- fects | Value |
|---|-----------|-------------------------|-------------------------------|------------------------|
| titanium dioxide; [in powder form contain- ing 1 % or more of | Consumers | Ingestion | Long-term systemic effects | 700,00 mg/kg bw/day |



Capadur DecorLasur Weiß

| Version 3.0 | | | mber: | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 | | |
|----------------|-------------------------------------|-----------|------------|---|--------------|--|
| • | les with aerody- c diameter ≤ 10 | | | | | |
| | | Workers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 | |
| propa | ane-1,2-diol | Consumers | Inhalation | Long-term systemic effects | 50,00 mg/m3 | |
| | | Consumers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 | |
| | | Workers | Inhalation | Long-term systemic effects | 168,00 mg/m3 | |
| | | Workers | Inhalation | Long-term systemic effects | 168,00 mg/m3 | |
| | | Workers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 | |
| | | Workers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 | |
| | | Consumers | Inhalation | Long-term systemic effects | 50,00 mg/m3 | |
| | | Consumers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 | |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---|---------------------------|---------------------------------|
| titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm] | Sewage treatment plant | 100 mg/l |
| | Fresh water | 0,184 mg/l |
| | Soil | 100 mg/kg dry weight (d.w.) |
| | Sea water | 0,0184 mg/l |
| | Fresh water sediment | 1000 mg/kg dry weight (d.w.) |
| | Sea sediment | 100 mg/kg dry weight (d.w.) |
| | Intermittent use/release | 0,193 mg/l |
| propane-1,2-diol | Sea sediment | 57,2 mg/kg dry weight (d.w.) |
| | Soil | 50 mg/kg dry weight (d.w.) |
| | Sea water | 26 mg/l |
| | Fresh water sediment | 572 mg/kg dry weight (d.w.) |
| | Fresh water | 260 mg/l |
| | Intermittent use/release | 183 mg/l |
| | Sewage treatment plant | 20000 mg/l |



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | | 0S Number: 00362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 | | |
|----------------|--|------|---|---|--|--|
| 8.2 Expos | sure controls | | | | | |
| Perso | onal protective equip | ment | | | | |
| Eye/fa | ace protection | : | DGUV Regulation | on 112-192 - Use of eye and face protection | | |
| | | | Goggles | | | |
| Ma Gl | protection aterial ove thickness otective index | : | Nitrile rubber 0,2 mm Class 3 | | | |
| Re | Remarks : | | Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves | | | |
| Skin a | and body protection | : | Safety shoes Long sleeved clothing | | | |
| | | | | otection according to the amount and con- dangerous substance at the work place. | | |
| | | | Skin should be | vashed after contact. | | |
| Resp | iratory protection | : | No personal res quired. | piratory protective equipment normally re- | | |
| | | | DGUV Regulation | on 112-190 - Use of breathing equipment | | |
| | | | | plication: Do not breathe spray dust. Use ion filter for paint spraying. | | |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | liquid |
|---|---|-------------------|
| Color | : | No data available |
| Odor | : | No data available |
| Melting point/freezing point | : | ca. 0 °C |
| Boiling point/boiling range | : | ca. 100 °C |
| Upper explosion limit / Upper flammability limit | : | not determined |



Capadur DecorLasur Weiß

| Vers 3.0 | sion | Revision Date: 02.12.2022 | | S Number:)0362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 |
|-------------|----------------------------|---|---|---------------------------|---|
| | | explosion limit / Lower bility limit | : | not determined | |
| | Flash point | | : | Not applicable | |
| | Autoigr | nition temperature | : | not determined | |
| | Decom | position temperature | : | Not applicable | |
| | рН | | : | 8 - 9 Concentration: 1 | 00 % |
| | Viscosi Visc | ty cosity, dynamic | : | No data available | 2 |
| | Solubili Wat | ty(ies) er solubility | : | completely misci | ble |
| | Partitio octanol | n coefficient: n- /water | : | Not applicable | |
| | Vapor p | pressure | : | ca. 23,4 hPa (20 | °C) |
| | Relative | e density | : | not determined | |
| | Density | , | : | 1,0800 g/cm3 | |
| | Relative | e vapor density | : | Not applicable | |
| 9.2 (| Other ir Explosi | nformation ves | : | Not applicable | |
| | Oxidiziı | ng properties | : | Not applicable | |
| | Flamm | ability (liquids) | : | The product is no | ot flammable. |

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions

s : No decomposition if stored and applied as directed.



Capadur DecorLasur Weiß

| | e of last issue: 10.07.2020 e of first issue: 10.12.2019 |
|--|---|
|--|---|

| 10.4 Conditions to avoid Conditions to avoid | : | Protect from frost, heat and sunlight. |
|--|---|---|
| 10.5 Incompatible materials | | |
| Materials to avoid | : | Incompatible with acids and bases. Incompatible with oxidizing agents. |

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute toxicity | | | | | | |
|--|--|--|--|--|--|--|
| Not classified based on available information. | | | | | | |
| Components: | | | | | | |
| 1,2-benzisothiazol-3(2H)-one: | | | | | | |
| Acute oral toxicity | LD50 (Rat): 532 mg/kg | | | | | |
| Acute inhalation toxicity | LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist | | | | | |
| Acute dermal toxicity | LD50 (Rat): > 2.000 mg/kg | | | | | |
| reaction mass of 5-chloro-2-n (3:1): | ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | | | | | |
| Acute oral toxicity | LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401 | | | | | |
| Acute inhalation toxicity | LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 | | | | | |
| Acute dermal toxicity | LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 | | | | | |

Skin corrosion/irritation

Not classified based on available information.



| Capadu | Capadur DecorLasur Weiß | | | | | | | |
|--|-----------------------------------|------------------------|---|--|--|--|--|--|
| Version 3.0 | Revision Date: 02.12.2022 | SDS Number: 6000362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 | | | | | |
| Seriou | s eye damage/eye irri | tation | | | | | | |
| | ssified based on availa | | | | | | | |
| Respir | atory or skin sensitiz | ation | | | | | | |
| Skin s | ensitization | | | | | | | |
| Not cla | ssified based on availa | ble information. | | | | | | |
| Respir | atory sensitization | | | | | | | |
| | ssified based on availa | ble information. | | | | | | |
| Germ | cell mutagenicity | | | | | | | |
| Not cla | ssified based on availa | ble information. | | | | | | |
| Carcin | ogenicity | | | | | | | |
| Not cla | ssified based on availa | ble information. | | | | | | |
| - | ductive toxicity | | | | | | | |
| Not cla | ssified based on availa | ble information. | | | | | | |
| STOT- | single exposure | | | | | | | |
| Not cla | ssified based on availa | ble information. | | | | | | |
| | repeated exposure | | | | | | | |
| Not cla | ssified based on availa | ble information. | | | | | | |
| - | Aspiration toxicity | | | | | | | |
| Not classified based on available information. | | | | | | | | |
| 11.2 Inform | 11.2 Information on other hazards | | | | | | | |
| Endocrine disrupting properties | | | | | | | | |
| Produc | <u>ct:</u> | | | | | | | |

| Assessment | : The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|
|------------|---|

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | | 0S Number: 00362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 |
|----------------|--|------|--|---|
| | icity to daphnia and other atic invertebrates | : | EC50 (Daphnia) Exposure time: Method: OECD | |
| | Toxicity to algae/aquatic plants | | Exposure time: | rum capricornutum (green algae)): 0,11 mg/l 72 h Test Guideline 201 |
| M-F icity | actor (Acute aquatic tox- | : | 1 | |
| M-F toxi | actor (Chronic aquatic city) | : | 1 | |
| rea (3:1 | | 2-me | thyl-2H-isothiaz | ol-3-one and 2-methyl-2H-isothiazol-3-one |
| M-F icity | actor (Acute aquatic tox- | : | 100 | |
| M-F toxi | actor (Chronic aquatic city) | : | 100 | |
| | sistence and degradabi data available | lity | | |
| | accumulative potential | | | |
| | nponents: | | | |
| rea (3:1 | | 2-me | thyl-2H-isothiaz | ol-3-one and 2-methyl-2H-isothiazol-3-one |
| | tition coefficient: n- anol/water | : | log Pow: <= 0,7 Method: OECD | 1 Test Guideline 117 |
| | bility in soil data available | | | |
| 12.5 Res | sults of PBT and vPvB a | sse | ssment | |
| Pro | duct: | | | |
| Ass | essment | : | to be either pers | mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of |

12.6 Endocrine disrupting properties

Product:



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | | DS Number: 000362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 |
|----------------------------|---------------------------------------|---|---|---|
| Assessment | | : | The substance/mixture does not contain components conserved to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/603 levels of 0.1% or higher. | |
| 12.7 Other adverse effects | | | | |
| <u>Produ</u> Additie | <u>ıct:</u> onal ecological infor- | : | An environmenta | I hazard cannot be excluded in the event of |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| Product | |
|---------|--|
| FIUUUUU | |

mation

| Product | ÷ | |
|------------------------|---|--|
| | | Waste should not be disposed of via wastewater. |
| Contaminated packaging | : | Only completely emptied containers should be given for recy- cling. |
| Waste Code | : | used product 080112, waste paint and varnish other than those mentioned in 08 01 11* |

unprofessional handling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

| ADN | : | Not regulated as a dangerous good |
|------------------------------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.2 UN proper shipping name | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |



Capadur DecorLasur Weiß

| Version | Revision Date: 02.12.2022 | SDS Number: | Date of last issue: 10.07.2020 |
|---------|---------------------------|-------------|---------------------------------|
| 3.0 | | 6000362 | Date of first issue: 10.12.2019 |
| - | | | |

14.3 Transport hazard class(es)

| ADN | : Not regulated as a dangerous good |
|--------------------|-------------------------------------|
| ADR | : Not regulated as a dangerous good |
| RID | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| ΙΑΤΑ | : Not regulated as a dangerous good |
| 14.4 Packing group | |
| ADN | : Not regulated as a dangerous good |
| ADR | : Not regulated as a dangerous good |
| RID | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA (Cargo) | : Not regulated as a dangerous good |
| IATA (Passenger) | : Not regulated as a dangerous good |

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

ated.

have to be defined and no chemical safety assessment has to be gener-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | Conditions of restriction for the fol- lowing entries should be considered formaldehyde (Number on list 72, 28) | |
|--|--|--|
| REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). | This product is a mixture and does not contain Substances of Very Hi Concern (SVHC) equal or above 0.1%. Therefore no advised uses | |



Capadur DecorLasur Weiß Version Revision Date: SDS Number: Date of last issue: 10.07.2020 3.0 02.12.2022 6000362 Date of first issue: 10.12.2019 Regulation (EC) No 1005/2009 on substances that de-: Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-: Not applicable tants (recast) REACH - List of substances subject to authorisation : None (Annex XIV) Seveso III: Directive 2012/18/EU of the Euro-Not applicable bean Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Water hazard class (Germa-: 2 significantly water endangering Classification according to AwSV, Annex 1 (5.2) ny) Product code for laquers and : M-KH01 Water-based varnishes/wood glazes paints / Giscode : BSW20 Coating materials, water-based Volatile organic compounds : Directive 2004/42/EC < 3 % < 30 g/l

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

| H301 : | Toxic if swallowed. |
|--------|--|
| H302 : | Harmful if swallowed. |
| H310 : | Fatal in contact with skin. |
| H314 : | Causes severe skin burns and eye damage. |
| H315 : | Causes skin irritation. |
| H317 : | May cause an allergic skin reaction. |
| H318 : | Causes serious eye damage. |
| H330 : | Fatal if inhaled. |
| H351 : | Suspected of causing cancer if inhaled. |
| H400 : | Very toxic to aquatic life. |



Capadur DecorLasur Weiß

| Version 3.0 | Revision Date: 02.12.2022 | | 0S Number: 00362 | Date of last issue: 10.07.2020 Date of first issue: 10.12.2019 | | |
|--|---|---|--|---|--|--|
| H410 H411 EUH07 | 1 | : | Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract. | | | |
| Full text of other abbreviations | | | | | | |
| Carc. Eye Da Skin Co Skin Irr Skin Se DE TR DE TR DE TR | c Acute c Chronic m. prr. it. | | Carcinogenicity Serious eye dama Skin corrosion Skin irritation Skin sensitization Germany. TRGS | ic) aquatic hazard age 527 - Activities with nanomaterials 900 - Occupational exposure limit values. | | |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IIMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IIMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OEC - Organization; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OEC - Organization for 500% of a test population (Median Lethal Dose); MARPOL - International Convention of the Prevention of Pollution from Ships; n.o.s. - Not Otherw

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials



Capadur DecorLasur Weiß

| Version | Revision Date: | SDS Number: | Date of last issue: 10.07.2020 |
|---------|----------------|-------------|---------------------------------|
| 3.0 | 02.12.2022 | 6000362 | Date of first issue: 10.12.2019 |

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN