

/ersion 2.1	Revision Date: 18.04.2023	SDS Number: 6026457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022
SECTION	1: Identification of	the substance/m	ixture and of the company/undertaking
1.1 Produc	ct identifier		
Trade	name	: Caparol Fung	izid
1.2 Releva	nt identified uses of	the substance or m	nixture and uses advised against
	f the Sub- e/Mixture	: Water-borne of	coatings
314110			
	nmended restrictions	: within adequa	te application - none
Recor on use	nmended restrictions		
Recor on use	nmended restrictions	e safety data sheet : Caparol Farbe Roßdörfer Str	en Lacke GmbH aße 50
Recor on use	nmended restrictions e s of the supplier of th any hone	e safety data sheet : Caparol Farbe	en Lacke GmbH aße 50 Ramstadt
Recor on use 1.3 Details Comp Telepl Telefa Webs E-mai	nmended restrictions e s of the supplier of th any hone	e safety data sheet Caparol Farbe Roßdörfer Str 64372 Ober-I +496154710	en Lacke GmbH aße 50 Ramstadt 222
Recor on use 1.3 Details Comp Telepl Telefa Webs E-mai ble/iss	nmended restrictions e s of the supplier of th any hone ix ite I address Responsi-	e safety data sheet Caparol Farbe Roßdörfer Str 64372 Ober-I : +496154710 : +4961547170	en Lacke GmbH aße 50 Ramstadt 222

Classification (REGULATION (EC) No 1272/2008)Skin sensitization, Category 1H317: May cause an allergic skin reaction.

Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



Caparol Fungizid

Versior 2.1	n Revision I 18.04.202		SDS Num 6026457	iber:	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022	
Hazard pictograms		S :	(!			
Sig	gnal Word	:	Warnin	g		
Ha	azard Statement	s :	H317 H410		e an allergic skin reaction. to aquatic life with long lasting effects.	
Pr	ecautionary Sta	tements :	P101 label at P102	t hand.	advice is needed, have product container o of reach of children.	r
			Prever	ntion:		
			P262 P273 P280	Avoid relea	t in eyes, on skin, or on clothing. ease to the environment. rective gloves/ eye protection.	
			Respo	nse:		
			P391	Collect spil	illage.	
			Dispos	sal:		
			P501 disposa	Dispose of al plant.	of contents/ container to an approved waste	

Hazardous ingredients which must be listed on the label:

octhilinone (ISO) terbutryn 1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Caparol Fungizid

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2023
2.1	18.04.2023	6026457	Date of first issue: 01.02.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(/0)
	Registration number		
octhilinone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-45	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,25 - < 1
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
terbutryn	886-50-0 212-950-5	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1





Caparol Fungizid

ersion 1	Revision Date: 18.04.2023	SDS Number: 6026457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022
			Skin Sens. 1; H317 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1; H317 >= 3 %
1,2-be	enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00- 01-2120761	
2-met	thylisothiazol-3(2H)-one	2682-20-4	specific concentration limit Skin Sens. 1; H317 >= 0,05 %= 0,0025 - 0.025 - 0.025Acute Tox. 2; H330 Acute Tox. 2: H311>= 0,0025 - 0.025
		220-239-6 613-326-00- 01-2120764	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic



Caparol Fungizid

Version	Revision Date: 18.04.2023	SDS Number:	Date of last issue: 03.02.2023
2.1		6026457	Date of first issue: 01.02.2022
			aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

	General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
	If inhaled	:	Move to fresh air.		
	In case of skin contact	:	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
	In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed					
	Risks	:	May cause an allergic skin reaction.		
4.3	4.3 Indication of any immediate medical attention and special treatment needed				
	Treatment	:	No information available.		



Caparol Fungizid

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2023
2.1	18.04.2023	6026457	Date of first issue: 01.02.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta	inment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).



Caparol Fungizid

2.1 18.04.2023 6026457 Date of first issue: 01.02.2022				Date of last issue: 03.02.2023
--	--	--	--	--------------------------------

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
		No interior use.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage,	luding any incompatibilities	
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s)		
Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
octhilinone (ISO)	26530-20-1	AGW (Inhalable fraction)	0,05 mg/m3	DE TRGS 900



Caparol Fungizid Version Revision Date: SDS Number: Date of last issue: 03.02.2023 18.04.2023 6026457 Date of first issue: 01.02.2022 2.1 Peak-limit category: 2;(I) Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child 8.2 Exposure controls Personal protective equipment DGUV Regulation 112-192 - Use of eye and face protection Eye/face protection : Goggles Hand protection Material 1 Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3 Remarks Before removing gloves clean them with soap and water. · Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves Skin and body protection Safety shoes Long sleeved clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Skin should be washed after contact. Remove and wash contaminated clothing before re-use. During spray application: impervious clothing Respiratory protection No personal respiratory protective equipment normally re-÷ quired. DGUV Regulation 112-190 - Use of breathing equipment During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available



Caparol Fungizid

Ver 2.1	sion	Revision Date: 18.04.2023		S Number: 26457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling point/boiling range		:	ca. 100 °C	
	Upper explosion limit / Upper flammability limit		:	not determined	
	Lower explosion limit / Lower flammability limit		:	not determined	
	Flash p	point	:	Not applicable	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 1	00 %
	Viscosi Visc	ity cosity, dynamic	:	No data available	9
	Solubili Wat	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- l/water	:	not determined	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Density	/	:	1,0500 g/cm3	
	Relativ	e vapor density	:	not determined	
9.2	Other ir	nformation			
	Explosi	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ation rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



Caparol Fungizid

Version 2.1	Revision Date: 18.04.2023	SDS Number: 6026457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022				
10.2 Cher	nical stability						
No de	ecomposition if stored	and applied as directe	ed.				
10.3 Poss	sibility of hazardous	reactions					
Haza	rdous reactions	: No decompos	ition if stored and applied as directed.				
10.4 Cond	ditions to avoid						
Cond	litions to avoid	: Protect from fi	rost, heat and sunlight.				
10.5 Inco	mpatible materials						
Mate	rials to avoid	•	with acids and bases. with oxidizing agents.				
10.6 Haza	10.6 Hazardous decomposition products						

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	:



Caparo	ol Fungizid						
/ersion 2.1	Revision Date: 18.04.2023	SDS Number: 6026457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022				
Acute	Acute dermal toxicity		Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC No. 1272/2008				
terbu	tryn:						
Acute	e oral toxicity	: LD50 Oral	(Rat): > 300 mg/kg				
Acute	e dermal toxicity	: LD50 Dern	LD50 Dermal (Rat): > 2.000 mg/kg				
1,2-b	enzisothiazol-3(2H)-c	one:					
Acute	e oral toxicity	: LD50 (Rat)): 532 mg/kg				
Acute	inhalation toxicity	Exposure t	: LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute	e dermal toxicity	: LD50 (Rat)): > 2.000 mg/kg				
2-me	thylisothiazol-3(2H)-o	one:					
Acute	e oral toxicity	: LD50 (Rat)): 120 mg/kg				
Acute	inhalation toxicity	Exposure t): 0,145 mg/l ime: 4 h sphere: dust/mist				
	corrosion/irritation lassified based on ava	ilable information.					
	us eye damage/eye i lassified based on ava						
Resp	iratory or skin sensit	ization					
-	sensitization cause an allergic skin i	reaction.					
-	iratory sensitization lassified based on ava	ilable information.					
Germ	cell mutagenicity						
	lassified based on ava	ilable information.					
Carci	nogenicity						

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Caparol Fungizid

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2023
2.1	18.04.2023	6026457	Date of first issue: 01.02.2022

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

octhilinone (ISO): M-Factor (Acute aquatic tox- : icity)		100
M-Factor (Chronic aquatic : toxicity)	:	100
terbutryn:		
M-Factor (Acute aquatic tox- : icity)	:	100
M-Factor (Chronic aquatic : toxicity)	:	100
1,2-benzisothiazol-3(2H)-one:		
		LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l
	•	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202





Caparol Fungizid

Version 2.1	Revision Date: 18.04.2023		0S Number: 26457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022
Toxicity to algae/aquatic plants		:	Exposure time: 7	um capricornutum (green algae)): 0,11 mg/ /2 h Fest Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
	M-Factor (Chronic aquatic toxicity)		1	
2-me	thylisothiazol-3(2H)-on	e:		
M-Fa icity)	ctor (Acute aquatic tox-	:	10	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
12.3 Bioa	ata available ccumulative potential			
	ponents:			
Partit	ilinone (ISO): ion coefficient: n- ol/water	:		Fest Guideline 117
terbu	itryn:			
	ion coefficient: n- ol/water	:	log Pow: 3,66	
1 2.4 Mob i No da	il ity in soil ata available			
No da	•	sse	ssment	
No da	ata available Ilts of PBT and vPvB as	sse	ssment	

Product:



Caparol Fungizid

Version 2.1	Revision Date: 18.04.2023	SDS N 60264	lumber: 57	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022	
Asse	Assessment		The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.		
12.7 Othe	er adverse effects				
Prod	uct:				
Addit matic	ional ecological infor- on			atic organisms, may cause long-term adverse atic environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-octyl-2H-isothiazol-3-one, terbutryn)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-octyl-2H-isothiazol-3-one, terbutryn)



Caparol Fungizid						
Versi 2.1	ion	Revision Date: 18.04.2023		0S Number: 26457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022	
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, azol-3-one, terbutryn)		
I	IMDG			: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (2. optid 21d jaophiszel 2. opp. torbutum)		
I	ΙΑΤΑ		:	 (2-octyl-2H-isothiazol-3-one, terbutryn) Environmentally hazardous substance, liquid, n.o.s. (2-octyl-2H-isothiazol-3-one, terbutryn) 		
14.3	Transp	oort hazard class(es)				
				Class	Subsidiary risks	
	ADN		:	9		
	ADR		:	9		
	RID		:	9		
	IMDG		:	9		
		:	9			
	14.4 Packing group					
F (ADN Packing group Classification Code Hazard Identification Number Labels		:	III M6 90 9		
F (Classifi Hazard Labels	g group ication Code I Identification Number restriction code	:	III M6 90 9 (-)		
F (Classif	g group ication Code I Identification Number	:	III M6 90 9		
F	IMDG Packing Labels EmS C		:	III 9 F-A, S-F		
H a H	Packin aircraft Packin	Cargo) g instruction (cargo) g instruction (LQ) g group	:	964 Y964 III		



Caparol Fungizid

-	/ersion .1	Revision Date: 18.04.2023		DS Number: 126457	Date of last issue: 03.02.2023 Date of first issue: 01.02.2022
	Labels	5	:	Miscellaneous	
	Packir ger air		:	964	
		ng instruction (LQ) ng group	:	Y964 III Miscellaneous	
1	14.5 Environmental hazards				
	ADN Enviro	nmentally hazardous	:	yes	
	ADR Enviro	nmentally hazardous	:	yes	
	RID Enviro	nmentally hazardous	:	yes	
	IMDG Marine	e pollutant	:	yes	
		(Passenger) nmentally hazardous	:	yes	
		(Cargo) nmentally hazardous	:	yes	
-					

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-



Caparol Fungizid Version Revision Date: SDS Number: Date of last issue: 03.02.2023 18.04.2023 6026457 Date of first issue: 01.02.2022 2.1 ated. Regulation (EC) No 1005/2009 on substances that de-Not applicable : plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable : tants (recast) REACH - List of substances subject to authorisation : None (Annex XIV) Seveso III: Directive 2012/18/EU of the Euro-E1 **ENVIRONMENTAL HAZARDS** pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Water hazard class (Germa- : WGK 3 highly water endangering Classification according to AwSV, Annex 1 (5.2) ny) : BSW50 Coating materials, water-based, containing solvents, film-protected : Directive 2004/42/EC Volatile organic compounds < 0.1 % < 1 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

15.3 Labeling according to Regulation (EU) 528/2012

BAuA-Number	: N-103143	
Biocidal product type Expiry Date	: PT 7 - Film preservatives: Observe label precautions.	
Active substance	: terbutryn octhilinone (ISO)	5,8 g/l 9,8 g/l

Use biocides safely. Always read the label and product information before use.

Caparol Fungizid

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2023
2.1	18.04.2023	6026457	Date of first issue: 01.02.2022

SECTION 16: Other information

Full text of H-Statements H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. H318 H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411 EUH071 Corrosive to the respiratory tract. Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute Short-term (acute) aquatic hazard Aquatic Chronic Long-term (chronic) aquatic hazard Eye Dam. Serious eye damage Skin Corr. Skin corrosion Skin Irrit. Skin irritation Skin Sens. Skin sensitization DE TRGS 900 Germany. TRGS 900 - Occupational exposure limit values. DE TRGS 900 / AGW ÷ Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 5% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of fice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.



Caparol Fungizid

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2023
2.1	18.04.2023	6026457	Date of first issue: 01.02.2022

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN