

Muresko				
Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021	
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Muresko
1.2 Relevant identified uses of t Use of the Sub- stance/Mixture	he s :	substance or mixture and uses advised against Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company Telephone Telefax		Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt +496154710 +4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone Emergency telephone 1		+49613284463 GBK GmbH
SECTION 2: Hazards identifie		

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



Muresko

Version 4.0	Revision Date: 15.03.2023	-	DS Number: 021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020
Hazaro	d pictograms	:		
Signal	Word	:	Warning	
Hazaro	d Statements	:		se an allergic skin reaction. to aquatic life with long lasting effects.
Precau	utionary Statements	:	label at hand.	I advice is needed, have product container or
			Prevention:	
			P273 Avoid rel	et in eyes, on skin, or on clothing. ease to the environment. otective gloves/ eye protection.
			Response:	
			P302 + P352 I water.	F ON SKIN: Wash with plenty of soap and

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one octhilinone (ISO) 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - < 0,025
octhilinone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-45	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100	>= 0,0025 - < 0,025



Muresko

ersion)	Revision Date: 15.03.2023	SDS Number: 6021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020	
			M-Factor (Chronic aquatic toxicity): 100 	
			Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-21207646	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301	>= 0,0025 - 0,025
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit	
terbut	ryn	886-50-0 212-950-5	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 - 0,025



Muresko

rsion	Revision Date: 15.03.2023	SDS Number: 6021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
methy	on mass of 5-chloro-2- /l-2H-isothiazol-3-one (3		Acute Tox. 3; H301 >= 0,0002 · Acute Tox. 2; H330 0,0015 Acute Tox. 2; H310
	ances with a workplace Mg3H2(SiO3)4)	exposure limit : 14807-96-6	>= 1 - < 1
i aic (NIGO 12(0100)4)	238-877-9 01-21201402	

For explanation of abbreviations see section 16.



Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

SECTION 4: First aid measures

4.1 Description of first-aid measures			
General advice :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled :	Move to fresh air.		
In case of skin contact :	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
In case of eye contact :	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
If swallowed :	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		

4.2 Most important symptoms and effects, both acute and delayed

Risks :	: May cause an allergic skin reaction.
---------	--

4.3 Indication of any immediate medical attention and special treatment needed

```
Treatment
```

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.



Mure	Muresko						
Versio 4.0	n Revision Date: 15.03.2023		DS Number:)21981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020			
5.2 Sp	ecial hazards arising from	the	e substance or mi	xture			
Specific hazards during fire fighting		:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).				
5.3 Ad	vice for firefighters						
Special protective equipment for fire-fighters		:	Wear self-contained breathing apparatus for firefighting if ne essary.				
Further information		:	Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.				

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform
		respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Use only with adequate ventilation.
	For personal protection see section 8.
	No special technical protective measures required.

No interior use.



Muresko					
Version 4.0	Revision Date: 15.03.2023		DS Number: 021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020	
Hygier	ne measures	:	and its application Wash hands beford drink or smoke with	arrent technical information for this product on on www.caparol.com must be observed. are eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating	
7.2 Conditi	ons for safe storage,	inc	luding any incom	patibilities	
Requirements for storage areas and containers		:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the . Containers which are opened must be care- d kept upright to prevent leakage.	
Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline	
Storag	e class (TRGS 510)	:	12		
7.3 Specific end use(s) Specific use(s)			This information i	s not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
	Peak-limit cat	egory: 2;(II)			
	Further inform	nation: When there is	compliance with the OEL ar	nd biological	
	tolerance valu	ies, there is no risk c	of harming the unborn child	-	
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)		900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
titanium dioxide; [in powder form con- taining 1 % or more of particles	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	



Muresko

/ersion I.0	Revision Da 15.03.2023	te: SDS 6021		Date of last issue: 22.10.2021 Date of first issue: 16.12.2020			
	erodynamic eter ≤ 10 μm]						
		Peak-limit cat	egory: 2;(II)				
		Further inform	nation: When there	is compliance with the OEL a	nd biological		
		tolerance valu	ies, there is no risk	of harming the unborn child	Ū		
			AGW (Alveolate	1,25 mg/m3	DE TRGS		
			fraction)	(Titanium dioxide)	900		
		Peak-limit category: 2;(II)					
		Further information: When there is compliance with the OEL and biological					
		tolerance values, there is no risk of harming the unborn child					
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		
octhili	none (ISO)	26530-20-1	AGW (Inhalable fraction)	0,05 mg/m3	DE TRGS 900		
		Peak-limit category: 2;(I)					
				tion, When there is compliand there is no risk of harming the			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
1-(2-butoxy-1- methylethoxy)propan- 2-ol	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m3
	Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	1,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:



Muresko

ersion 0	Revision Date: 15.03.2023	SDS Number: 6021981	Date of last issue: 2 Date of first issue: 1	
Subst	tance name	Environment	al Compartment	Value
	n, calcined	Intermittent		25 mg/l
raom		Fresh water		4,1 mg/l
		Sea water		0,41 mg/l
		Sewage trea	tment plant	1400 mg/l
conta	um dioxide; [in powder f ining 1 % or more of pa vith aerodynamic diame n]	orm Sewage trea		100 mg/l
	1	Fresh water		0,184 mg/l
		Soil		100 mg/kg dry
				weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg dry weight (d.w.)
		Sea sedimer	nt	100 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,193 mg/l
	outoxy-1- ylethoxy)propan-2-ol	Sewage trea	tment plant	100 mg/l
		Fresh water		0,519 mg/l
		Soil		0,287 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	5,19 mg/l
		Fresh water	sediment	2,96 mg/kg dry weight (d.w.)
		Sea water		0,0519 mg/l
		Sea sedimer	ht	0,296 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection	
		Goggles	
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3	
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves	
Skin and body protection	:	Safety shoes Long sleeved clothing	



Muresko

Version 4.0	Revision Date: 15.03.2023	SDS Number: 6021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020				
			Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
Respiratory protection		Skin should be w	Skin should be washed after contact.				
			Remove and wash contaminated clothing before re-use. During spray application: impervious clothing				
		: No personal resp quired.	iratory protective equipment normally re-				
		DGUV Regulatio	n 112-190 - Use of breathing equipment				
			During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8,7 (20 °C) Method: DIN EN ISO 19396-1:2020-05
Viscosity Viscosity, dynamic	:	> 0,000 mPa.s (20 °C) Method: ISO 3219
Viscosity, kinematic	:	not determined



Muresko

Versi 4.0	ion	Revision Date: 15.03.2023	-	S Number: 21981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020
I	Flow tir	me	:	not determined	
Ş	Solubili Wat	ity(ies) ter solubility	:	completely misc	ible
•	Partitio octano	n coefficient: n- l/water	:	not determined	
Ň	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
I	Density	/	:	1,53 g/cm3 (20 ° Method: DIN EN	
I	Bulk de	ensity	:	Not applicable	
I	Relativ	e vapor density	:	not determined	
		nformation			
I	Explosi	ives		Not applicable	
(Oxidizi	ng properties	:	Not applicable	
I	Flamm	ability (liquids)	:	The product is n	ot flammable.
I	Evapor	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

1(0.1	Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability No decomposition if stored and applied as directed. 10.3 Possibility of hazardous reactions Hazardous reactions No decomposition if stored and applied as directed. 10.4 Conditions to avoid Conditions to avoid Protect from frost, heat and sunlight. 10.5 Incompatible materials Materials to avoid Incompatible with acids and bases. Incompatible with oxidizing agents.



Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg
octhilinone (ISO):	
Acute oral toxicity :	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity :	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity :	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
2-methylisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist
terbutryn:	
Acute oral toxicity	LD50 Oral (Rat): > 300 mg/kg
Acute dermal toxicity :	LD50 Dermal (Rat): > 2.000 mg/kg



Mures	Muresko					
Version 4.0	Revision Date: 15.03.2023	SDS Number: 6021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020			
reac (3:1)		-2-methyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one			
Acute	e oral toxicity	: LD50 (Rat): Method: OE0	66 mg/kg CD Test Guideline 401			
Acute	Acute inhalation toxicity : LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403					
Acute	e dermal toxicity	: LD50 (Rat): Method: OE0	> 141 mg/kg CD Test Guideline 402			
Skin	corrosion/irritation					
Not o	classified based on ava	ilable information.				
Serio	ous eye damage/eye i	rritation				
Not o	classified based on ava	ilable information.				
Resp	Respiratory or skin sensitization					
Skin	sensitization					
May cause an allergic skin reaction.						
Respiratory sensitization						
Not c	classified based on ava	ilable information.				
Gern	Germ cell mutagenicity					
Not c	classified based on ava	ilable information.				
Carc	Carcinogenicity					
Not classified based on available information.						
Reproductive toxicity						
Not c	classified based on ava	ilable information.				
	T-single exposure					
Not c	classified based on ava	ilable information.				
	T-repeated exposure					
Not c	classified based on ava	ilable information.				
Aspi	ration toxicity					
Not o	classified based on ava	ilable information.				
11.2 Information on other hazards						
Endo	ocrine disrupting pro	perties				
Prod	luct:					
	essment		ce/mixture does not contain components consid-			

ered to have endocrine disrupting properties according to



Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020
			e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.

SECTION 12: Ecological information

12.1 Toxicity

EC50 (Daphnia magna Straus (Water flea)): > 10 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: Cell multiplication inhibition test Method: OECD Test Guideline 201 GLP: no
Harmful to aquatic life with long lasting effects.
LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
1



IVIUI	esko			
Versio 4.0	on Revision Date: 15.03.2023		DS Number: 21981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020
	octhilinone (ISO):			
Ν	M-Factor (Acute aquatic to city))x- :	100	
	И-Factor (Chronic aquatic oxicity)	:	100	
2	2-methylisothiazol-3(2H)	-one:		
Ν	M-Factor (Acute aquatic to city)		10	
	M-Factor (Chronic aquatic oxicity)	:	1	
t	erbutryn:			
Ν	M-Factor (Acute aquatic to city))X- :	100	
	M-Factor (Chronic aquatic oxicity)	:	100	
	eaction mass of 5-chlor 3:1):	o-2-me	ethyl-2H-isothi	azol-3-one and 2-methyl-2H-isothiazol-3-one
	M-Factor (Acute aquatic to city))X- :	100	
	M-Factor (Chronic aquatic oxicity)	:	100	
	Persistence and degrad	ability		
	Bioaccumulative potenti	al		
	-			
	Components:			
F	octhilinone (ISO): Partition coefficient: n- octanol/water	:	- 0 - /-	2 D Test Guideline 117
t	erbutryn:			
F	Partition coefficient: n- octanol/water	:	log Pow: 3,66	



Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
	-

12.6 Endocrine disrupting properties

Produc	t:	

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

•	ful to aquatic organisms, may cause long-term adverse ts in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

SECTION 14: Transport information

14.1 UN number or ID number		
ADN		Not regulated as a dangerous good
ADR		Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
	•	с с с
IMDG	•	Not regulated as a dangerous good
		Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	go	od
14.6 Special precautions for use	r	
Remarks	:	Not classified as dangerous in the meaning of transport regu- lations



lations.

I

4.0



Date of first issue: 16.12.2020

Muresko				
Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021	

6021981

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

15.03.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
	formaldehyde (Number on list 72, 28)
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: None
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not applicable
Water barred stars (Oamer WOK 4 slightly water	

Water hazard class (Germa- ny)		WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)
Product code for laquers and paints / Giscode	:	M-SF01F Water-based, silicone resin paints, active agents
		BSW50 Coating materials, water-based, containing solvents, film-protected

Volatile organic compounds	: Directive 2004/42/EC
	< 2 %

Muresko

VersionRevision Da4.015.03.2023	e: SDS Number: 6021981	Date of last issue: 22.10.2021 Date of first issue: 16.12.2020	
---------------------------------	---------------------------	---	--

< 20 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

DE TRGS 900

DE TRGS 527 / BM

DE TRGS 900 / AGW

H301	:	Toxic if swallowed.		
H302	:	Harmful if swallowed.		
H310	:	Fatal in contact with skin.		
H311	:	Toxic in contact with skin.		
H314	:	Causes severe skin burns and eye damage.		
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H330	:	Fatal if inhaled.		
H351	:	Suspected of causing cancer if inhaled.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
H411	:	Toxic to aquatic life with long lasting effects.		
EUH071	:	Corrosive to the respiratory tract.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Carc.	:	Carcinogenicity		
Eye Dam.	:	Serious eye damage		
Skin Corr.	:	Skin corrosion		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitization		
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials		

Germany. TRGS 900 - Occupational exposure limit values.Assessment scale

: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% orwth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safetory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safe-



Muresko

CAP	AROL

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

ty and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Lovel; NOELR - No Observable Effect Lovel; NOELR - No Observable Effect Lovel; NOELR - No Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Lovel; NOELR - No Observable Effect Lovel; NOELR - No Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Lovel; NOELR - Ne Observed Parliament; NDF - OFfice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods stance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixtur	e:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Muresko

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2021
4.0	15.03.2023	6021981	Date of first issue: 16.12.2020

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN